

CLAIM AMENDMENTS

1 1. (currently amended) A vehicle antenna [[(1)]] with
2 at least one antenna structure [[(2)]] that is arranged on a
3 vehicle window [[(8)]] mounted in an opening of a metal vehicle
4 body [[(6)]] that in a edge area has an obscuring area [[(7)]]
5 consisting of nonconductive material and formed by a black print
6 [[(9)]] adjoined by a grey print [[(10)]] in a direction toward the
7 window center, the black print [[(9)]] being a completely black
8 region and the grey print [[(10)]] being a black region with grid-
9 like apertures [[(11)]] increasing in size in a direction toward
10 the window center and separated by interfaces [[(13)]]
11 correspondingly decreasing in size, the antenna structure [[(2)]]
12 being provided on the obscuring area [[(7)]],
13 characterized in that the antenna structure [[(2)]] is at least
14 partially provided in the area of the grey print [[(10)]] and
15 designed such that it is completely covered by the interfaces
16 [[(13)]].

1 2. (currently amended) The vehicle antenna according to
2 claim 1, characterized in that the antenna structure [[(2)]] is
3 provided at the inner edge of the obscuring area [[(7)]] facing the
4 inside of the vehicle.

1 3. (currently amended) The vehicle antenna according to
2 claim 2, characterized in that the antenna structure ~~[[2]]~~ is
3 printed on the obscuring area ~~[[7]]~~.

1 4. (currently amended) The vehicle antenna according to
2 ~~one of claims claim~~ 1 ~~[[to 3]]~~, characterized in that the antenna
3 structure ~~[[2]]~~ consists of at least one conductor trace ~~[[2]]~~
4 that abuts at least the apertures ~~[[11]]~~ most closely spaced
5 relative to each other.

1 5. (currently amended) The vehicle antenna according to
2 ~~one of claims claim~~ 1 ~~[[to 3]]~~, characterized in that the antenna
3 structure ~~[[2]]~~ consists of at least one conductor trace ~~[[2]]~~
4 that is remote from the apertures ~~[[11]]~~ in the grey print
5 ~~[[10]]~~.

1 6. (currently amended) The vehicle antenna according to
2 ~~one of claims claim~~ 1 ~~[[to 5]]~~, characterized in that all apertures
3 ~~[[11]]~~ of a grey print ~~[[10]]~~ have the same shape.

1 7. (currently amended) The vehicle antenna according to
2 claim 6, characterized in that the apertures ~~[[11]]~~ are
3 rectangular in shape, particularly square.

1 8. (currently amended) The vehicle antenna according to
2 claim 6, characterized in that the apertures ~~[[11]]~~ are circular.

1 9. (currently amended) The vehicle antenna according to
2 ~~one of claims~~ claim 4 [[to 8]], characterized in that the at least
3 one conductor trace [[(2)]] has a meander-like shape.

1 10. (currently amended) The vehicle antenna according
2 to ~~one of claims~~ claim 4 [[to 8]], characterized in that the at
3 least one conductor trace [[(2)]] has a sawtooth-like shape.

1 11. (currently amended) The vehicle antenna according
2 to ~~one of claims~~ claim 1 [[to 10]], characterized in that the
3 narrow areas of the interfaces [[(13)]] between the apertures
4 [[(11)]] with the closest distance to each other are as short and
5 broad as possible.